

ProDry2+

CG30X2+ | CG45X2+

CONTINENTAL
GIRBAU®

High-Performance Stack Drying Tumblers for On-Premise Laundries

Designed to pack more capacity and productivity into a smaller footprint, ProDry2+ Stack Drying Tumblers deliver unmatched drying efficiency, superior programmability and ease-of-use. The twin-motor ProDry2+ Stack Dryers deliver premium features that work in concert to dramatically increase laundry productivity, reduce linen wear and enhance drying quality and efficiency.

Productivity & Efficiency Redefined

Quality, Standard Reversing & Efficiency

- Standard reversing improves quality and reduces roping and tangling, especially on large, bulky items — providing a more even dry.
- The twin motors driven by OneDrive, an inverter motor control, combine to reduce start up time, require less amperage at ramp up, deliver precise speed control and lower noise levels.
- An instant electronic-spark ignition and modular electrical system contribute to reliability and easy servicing.
- A multiple-burner heat system efficiently and quickly reaches desired temperatures.
- An enclosed heat system captures intake air and preheats it before entering the tumbler — reducing energy costs without increasing dry time.

Cut Ownership Costs with ProDry2+

- Engineered for quick drying and efficiency, ProDry2+ Dryers balance drying time and BTU consumption to reduce energy usage and labor costs.
- They maximize laundry throughput by reducing dry cycle times to more closely match wash cycle times.
- ProDry2+ Dryers balance quick drying with energy-efficiency for unmatched results and a reduction in costs.

Greater Capacity: Smaller Footprint

- Two stack dryer models:
 - SuperStack90 with two 45-pound capacity pockets
 - Stack60 with two 30-pound capacity pockets
- Stack models deliver 20 percent more drying capacity when compared to comparable capacity single-pocket model.
- Greater production in less space spells operational savings for your laundry!
- They fit easily through a standard 34.5-inch door for simple installation.


Easy Maintenance & Safety Features

- Components are easily accessible.
- An automatic backdraft damper prevents outside air from entering the laundry room.
- Oversized steel doors with reinforced metal door bars and hinges for superb ergonomics and durability.
- With a minimum rear clearance of 18 inches, safety guards and a fully enclosed rear area provide operator protection.



ProDry2+ Stack60
CG30X2+

ProDry2+ SuperStack90
CG45X2+




Unmatched Durability

- The tumblers feature rugged stainless steel cylinders; twin motors powered by OneDrive, steel front, side and top panels coated inside and out with electrostatically applied, baked-on paint for superior bonding and corrosion resistance
- An all-belt drive system with cast iron pulleys and permanently sealed bearings provide quiet, low-maintenance operation
- Durable kick-plates and cart bumpers protect tumblers from nicks and scrapes.
- An exclusive annealed stainless steel backplate contributes to longer machine life and also reduces friction against tumbling laundry — extending linen life.
- Backed by an industry-leading warranty.

Engineered for High Performance

Axial Airflow for Small-Load Efficiency

- Engineered with axial airflow, heated air is direct through the load from back to front.
- Perforated cylinders and drum lifters maximize airflow and tumbling action while also preventing tangling for fast, efficient drying.



Control Flexibility

ProDry2+ Dryers offer two programmable controls — the **Dual Digital Control** or the **Premier Plus Microprocessor Control**.

Dual Digital Control

- Simple to use, efficient and reliable.
- Allows the operator to choose temperature selection and cycle time and a single push to start operation.

Premier Plus Microprocessor Control

- Features a clear, prominent display that's glove friendly and durable.
- Offers up to 20 programmable cycles and reversing as a cycle add-on. The control also features:
 - Reminder to clean the lint screen
 - Anti-wrinkle and extended tumble initiates unheated tumble action after the end-of-cycle signal
 - External end-of-cycle output to aid operators in noticing when a load is complete
 - Programmable reversing and rotation time
 - Rapid advance option
 - Auditing on LED display
 - Time-dry, auto-dry and moisture sensing



Dual Digital Control

Innovative Moisture Sensing Technology

- An optional Linen Life Extension (LLE) moisture sensing system prevents over drying and damage to fabrics.
 - It targets any dryness level from zero to 40 percent, and to ensure accurate moisture readings, the LLE system provides an extremely large load-to-surface contact area.
 - Unlike some moisture sensing systems available, Continental's LLE system uses the entire surface area of the lifters within the dryer cylinder as sensors.
 - 20 programmable cycles
 - 12 programmable dryness levels from zero to 40 percent.
 - Programmable heat time
 - Dry goods experience less damage with up to 31 percent less fiber loss.



Microprocessor Control