

RMG-Series

High-Performance Washer-Extractors for On-Premise Laundries



RMG033 RMG040 RMG055 RMG070

**Maximizing Energy
Efficiency & Productivity.**

CONTINENTAL
GIRBAU®

G-Flex High-Performance Hard Mount Washers

Continental G-Flex Washer-Extractors deliver energy-efficiency, six programmable extract speeds up to 200 G-force, a highly flexible control, and a compact design. Engineered to outperform other hard-mount washers on the market, G-Flex Washers are available in 33-, 40-, 55- and 70-pound capacities. Designed for unrivaled efficiency, G-Flex Washers are backed by a leading factory warranty.

Deliver More Using Less

Higher Extract Speeds = Less Dry Time

G-Flex Washers generate extract speeds up to 200 G-force, when compared with traditional hard-mount washers, which only produce 75-150 G-force extract. Thus, laundry retains significantly less moisture and takes less time to dry. This drastically improves laundry productivity.

Cuts Utility Costs & Extends Dryer Life

Because less moisture is retained in laundry loads, dryers run less often and use less natural gas. This lowers utility costs and extends dryer life!

Less Linen Loss

Because linens retain less moisture, exposure to dryer heat and mechanical action is reduced, which reduces linen loss and extends linen life. Linen inventory lasts longer.



Innovative Technology

Control Flexibility — Logi Pro

Superior programmability means laundries can properly clean a variety of fabrics and load types depending on specific laundry needs. Despite their advanced technology, the controls couldn't be simpler to use. Once the programs are set, operators simply select the program number and press start!

- 25 modifiable programs
- Up to 11 phases per program
- 6 selectable water levels
- 4 external dosing signals
- Adjustable dosing signal length
- Simultaneous dosing of two products
- Failure check and alarm messages
- Test program
- Load Sensing — adjusts water and detergent according to load
- Rinse Hold — soak option

User-Friendly Chemistry Dispensing


G-Flex Washers offer two means of dispensing chemistry — manually, using a top-mounted dry and liquid chemical dispenser, or automatically, via automatic chemical injection.

Load Sensing

This water-saving function automatically adjusts water consumption and dosing time proportionally, depending on the program selected, fabric type and the weight of the load.

Sanitization = Peace of Mind

G-Flex Washers are compatible with ozone, cleaning chemicals and UV systems for washing and sanitization of laundry loads. Optional technologies can be quickly connected to the washers to allow for remote laundry management and to verify that sanitization parameters are met.





Unique Design



Inverter Technology

Operating on single-phase power with inverter technology, G-Flex Washers consume less energy and are less costly to install than the industry standard, three-phase power units. If three-phase power is pre-wired, G-Flex Washers are easily adapted for this power requirement.



GDrive

An exclusive management and communication system between the inverter, motor and microprocessor ensures the assembly is properly balanced for a longer life and saves on energy consumption.



Variable Extract Speeds up to 200 G-force

Six programmable extract speeds, including 100, 140 and 200 G-force. Flexible G-force extract speeds allow G-Flex Washers to perfectly meet a variety of installation requirements.



Sump-Less Design

Save up to 3 gallons of water with each fill when compared to machines equipped with an outer tub sump.



AquaFall® System

As the drum turns, lifters release water from above for better saturation and rinsing using less water and time.



AquaMixer® System

By achieving precise bath temperatures, E-Series improves wash action, saves energy, minimizes hot water consumption and reduces wash time.



Smooth Touch

A system of deep-punched holes, without sharp edges, ensures that the linen is treated delicately.



Proven Construction, Durability & Longevity

Backed by an industry-leading factory warranty, G-Flex Washers feature durable AISI-304 stainless steel inner and outer drums, oversized bearings and a quality sealing system. The front, side and top panels are constructed of steel and coated with Continental's unique Titan Steel Finish® for superior appearance and corrosion resistance.



Ease of Maintenance

Nearly all components are accessible via the front or top cover of the washer, which is easily removed without interfering with detergent dispensers.



Dual Safety Features

The washer is only active if the closed and locked door signals have been validated.



Compact Footprint

Occupies less space than most hard-mount washers, allowing for more machines, or larger capacity machines per square foot.



Sapphire Remote Management System

Optional remote management is built into E-Series Washers. Sapphire greatly facilitates the management of a laundry, reporting irregularities and reducing costs and downtime.



Disinfection Monitoring Package (DMP)

The optional, exclusive DMP integrates with the Sapphire Remote Management System to ensure pre-programmed washing parameters and disinfection requirements are met.

More About Us

Continental Girbau is a brand of Girbau North America (GNA) which is the North American subsidiary of the Girbau Group. Renowned for innovation, efficiency, quality and reliability, Girbau operates 16 subsidiaries and markets its products throughout 100 countries across the globe. They provide the most comprehensive offering of commercial, industrial, and vended laundry solutions in the world. Girbau laundry products meet rigorous environmental and safety standards established by the International Organization for Standardization (ISO) and holds both ISO9001 and ISO14001 certifications.

Product Specifications

| | RMG033 | RMG040 | RMG055 | RMG070 |
|----------------------------------|------------------------|------------------------|------------------------|-----------------------|
| Capacity lbs | 33 | 40 | 55 | 70 |
| Cylinder Diameter inch | 24.4 | 24.4 | 27.6 | 30.1 |
| Cylinder Depth inch | 16.4 | 21.6 | 23.1 | 23.5 |
| Cylinder Volume cu ft | 4.5 | 6 | 8 | 9.7 |
| Net Weight lbs | 525 | 562 | 741 | 899 |
| Crated Weight lbs | 580 | 624 | 807 (366) | 957 |
| Machine Dimensions inch (WxDxH) | 29.5 x 32.25 x 52.9 | 29.5 x 41.8 x 52.9 | 34.3 x 44.8 x 56.1 | 34.3 x 46.2 x 57.7 |
| Door Opening inch | 12.9 | 12.9 | 16.8 | 16.7 |
| Floor to Door inch | 20 | 20 | 19.7 | 21.4 |
| Shipping Dimensions inch (WxDxH) | 30.6 x 37.9 x 58.8 | 30.6 x 43.1 x 58.8 | 35.3 x 46.1 x 61.5 | 35.3 x 48.2 x 64.1 |
| Washing Speeds rpm | 44 | 47 | 45 | 40 |
| Spin Speeds rpm | 44/100/380/540/635/760 | 47/100/380/540/635/760 | 45/100/360/505/600/715 | 40/86/342/485/570/685 |
| G-force | 50/100/140/200 | 50/100/140/200 | 50/100/140/200 | 50/100/140/200 |

* Product specifications and details are subject to change without notice. For the most current and complete technical specifications, architectural line drawings and warranty information, please visit continentalgirbau.com.



continentalgirbau.com • info@continentalgirbau.com
800-256-1073

